

Color dome camera NVC-BC2401D-black



Features

- Horizontal resolution: 600 TVL
 - Min. Illumination: 0.2 lx/F=2.0
 - Standard lens: f=3.8 mm
 - 3-axis camera module adjustment
 - Enclosure color: Black
 - Optional equipment: NV-RCB wire remote controller
 - Power supply: 12 VDC
-

FUNCTIONS AVAILABLE FROM NV-RCB REMOTE CONTROLLER:
- ARW (AGC): On/Off
 - Electronic Day/Night function
 - White Balance (3 modes): manual/ATW/AWB
 - Back Light Compensation (BLC): On/Off
 - Day/Night Switching: Auto/Manual
 - Flickerless Function: On/Off
 - Privacy zones: 4
 - Other functions: mirror picture effect, motion detection
 - Digital Noise Reduction (DNR)
 - Motion detection
 - Mirror picture effect
 - Image sharpness adjustment
 - User friendly OSD

| Specifications | Description |
|-------------------------------|---|
| Pick-up Element | 1/3" SONY Super HAD II color CCD imager |
| Horizontal Resolution | 600 TVL |
| Min. Illumination | 0.2 lx/F=2.0 |
| S/N Ratio | More than 50 dB (AGC Off) |
| Electronic Shutter | Auto (AES): 1/50 s ~ 1/120 000 s |
| Auto Gain Control (AGC) | On |
| White Balance | ATW |
| Back Light Compensation (BLC) | Auto |
| Synchronization | Internal |
| Lens Type | Standard: f=3.8 mm |
| Angle of View (H) | 66° |
| Video Output | 1.0 Vp-p/75 Ohm (BNC) |
| Power Supply | 12 VDC |
| Power Consumption | 1.8 W |

| Specifications | Description |
|-----------------------|----------------------------|
| Operating Temperature | -10°C ~ 45°C |
| Relative Humidity | 30% ~ 80% (non-condensing) |
| Dimensions (mm) | 113.2 (Ø) x 79.15 (H) |
| Weight | 210 g |